


- ·Randy Michael Bacchus Forever 21 years old
- •Died by suicide and was in Cannabis Induced Psychosis
- •Started smoking at the age of 15, high potency THC products
- •Diagnosed with a Cannabis Use Disorder by the time he was 16.
- •First psychotic break at 19.
- ·Hospitalized in April of 2021 for suicidal ideation and plan
- •Put on a 5150 hold
- •Released after 24 hours: no beds available
- •Had a registered gun; never in trouble with the law the system is broken
- •Always held a job although that got tougher and tougher as days went by.
- •When he took his life, he had low levels of THC in his system; evidence he was trying to quit.
- •The impact of marijuana continues even when users stop using it it changes (damages) their brains.





7.1% 8th Graders





Source: http://monitoringthefuture.org/data/21data/table2.pdi



280,000 young adults ages 18-35:

Cannabis use was associated with increased risk of thoughts of suicide, suicide plan, and suicide attempt



(regardless of whether someone was experiencing depression).

Source: https://www.nih.gov/hew-events/new-releases/cannabis-use-may-be-associated-suicidality-young-adult-

One study found cases of Cannabis Use Disorder in young people in "legal" states grew 25% following legalization.






Source: https://wwws.nih.gov/new-events/new-releases/cannabis-use-may-be-associated-suicidality-young-adults and the suicidality-young-adults are suicidality-young-adults. The suicidality-young-adults are suicidality-young-adults are suicidality-young-adults are suicidality-young-adults. The suicidality-young-adults are suicidality-young-adults are suicidality-young-adults are suicidality-young-adults. The suicidality-young-adults are suicidality-young-adults are suicidality-young-adults. The suicidality-young-adults are suicidality-young-adults

The Impact of Adolescent Cannabis Use, Mood Disorder, and Lack of Education on Attempted Suicide in Young Adulthood
- World Psychiatry, Oct 2014


700 teens ages 12-15:

Marijuana use in those who weren't depressed before increased the risk of suicide attempt 7.5-fold



Source: https://www.ncbi.nlm.nlh.gov/pmc/articles/PMC4219077/pdf/wps/0013-0322.pdf

Colorado Suicides with Marijuana Present



Number of suicides in which Marijuana was present by year

*counts of less than 3 are suppressed. Sept of Public Health; Colorado Buicide Statistics https://cdphe.colorado.gov/colorado-suicide-statistics

Contributing Factors to Marijuana Dependence and Mental Illness

Age of Onset

2. Frequency of Use

3. THC Potency

Today's products – a designer drug available in many forms and appealing to youth.