

1.1 moves to amend H.F. No. 3512 as follows:

1.2 Page 1, after line 7, insert:

1.3 "Section 1. Minnesota Statutes 2008, section 144.1222, subdivision 3, is amended to
1.4 read:

1.5 Subd. 3. **Enclosed sports arenas.** (a) The commissioner of health shall be
1.6 responsible for the adoption of rules and enforcement of applicable laws and rules relating
1.7 to indoor air quality in the operation and maintenance of enclosed sports arenas.

1.8 (b) The commissioner of health may make unannounced inspections to monitor
1.9 compliance with applicable laws and rules relating to indoor air quality in the operation
1.10 and maintenance of indoor ice arenas.

1.11 (c) The commissioner of health may, in addition to using the department's existing
1.12 enforcement authority, require an indoor ice arena found to have violated the laws or
1.13 rules relating to indoor air quality to close the facility until the facility can demonstrate
1.14 compliance with the laws or rules relating to indoor air quality."

1.15 Page 1, line 10, before "Beginning" insert "(a)"

1.16 Page 1, line 11, after "operational" insert "and properly calibrated"

1.17 Page 1, line 14, delete everything after "million" and insert ". The monitor must
1.18 automatically activate"

1.19 Page 1, line 15, after "reached" insert ", or, alternatively, the building's exhaust fans
1.20 must be operated for 15 minutes immediately following the operation of ice resurfacing or
1.21 ice edging equipment. The electronic air monitoring device must be placed at a location
1.22 that accurately reflects the levels of carbon monoxide and nitrogen dioxide in the air
1.23 breathed by persons on the ice"

1.24 Page 1, after line 17, insert:

1.25 "(b) An indoor ice arena whose ice resurfacing and ice edging equipment is powered
1.26 by electricity is exempt from the requirements of paragraph (a)."

1.27 Renumber the sections in sequence and correct the internal references

2.1 Amend the title accordingly