

handwritten or faxed or electronically transmitted.

- 4** **Material content notice.** Creates § 150A.27. Paragraph (a) requires the laboratory to inform the dentist the country of origin where any of the work was performed, and the name, address, and registration number of the laboratory or laboratories.

Paragraph (b) requires disclosure to the dentist of the complete material content of the dental prosthetic. Requires the dentist to include this information in the patient's record.

Paragraph (c) requires the dental laboratory to comply with the owner identification requirements in section 150A.21.

- 5** **Prohibition against the use of a nonregistered dental laboratory.** Creates § 150A.28. Paragraph (a) requires a licensed dentist to use a registered dental laboratory for any dental laboratory work performed outside the dentist's office. Provides that if a dental technician performs dental laboratory work in the dentist's office, the dentist must register with the board and comply with the registered dental laboratory requirements.

Paragraph (b) prohibits a registered dental laboratory from subcontracting work to another dental laboratory unless that laboratory is registered by the board.

- 6** **Continuing education requirements.** Creates § 150A.29. Paragraph (a) requires each dental technician to complete 8 hours of continuing education biennially. Requires the laboratory to maintain records certifying that each technician has complied with this requirement.

Paragraph (b) describes the required areas of professional development the continuing education courses must address.

Paragraph (c) requires the board to establish criteria for approval of continuing education courses.

- 7** **Fees.** Creates § 150A.30. Provides the initial and the biennial registration fees are \$300. States that the fees are nonrefundable and are to be deposited in the state government special revenue fund.

- 8** **Appropriation.** Appropriates an unspecified amount from the special revenue fund for implementing sections 150A.24 to 150A.30.